

Medical Students' Perspectives on Trust in Medical AI: A Quantitative Comparative Study

Jana Kajanova^{1*}, Anamaria Badrov²

¹ Institute of Social Medicine and Medical Ethics, School of Medicine, Comenius University in Bratislava, Bratislava, Slovakia.

² Digital Healthcare Ethics Laboratory (Digit-HeaL), Catholic University of Croatia, Zagreb, Croatia.

*E-mail ✉ Janakajanova@outlook.com

Abstract

Artificial intelligence (AI) is expected to become an integral component of clinical practice in the near future. This technological shift will inevitably influence the education and perspectives of current medical students. The present research explores how trust in medical AI is perceived by three groups of students: those studying in Croatia, students enrolled in Slovakia, and international students pursuing medical studies in Slovakia. Data were gathered in the latter half of 2022 through a paper-based questionnaire administered to a non-randomized convenience sample. A total of 1715 participants from five Croatian and three Slovak medical faculties took part in the survey. Only 38.2% of respondents reported familiarity with AI concepts, whereas 44.8% anticipated future use of AI in their professional work. Students generally assessed patient preparedness for adopting such technologies as low. A majority (59.1%) expressed concern that AI could harm the physician–patient relationship, and 51.3% believed patients' trust in doctors would decline. International students were least likely to share these views, while Croatian and Slovak students indicated stronger agreement. Regarding confidence in the healthcare system, 40.9% of Croatian and 56.9% of Slovak respondents perceived low public trust, compared with just 17.3% of international students. Differences were also significant in students' confidence to explain AI applications to patients, with international students reporting the lowest levels, whereas Slovak and Croatian peers showed greater readiness. The findings highlight contrasting perspectives among medical students from different backgrounds regarding AI in healthcare, particularly in relation to trust. International students' views diverged considerably from those of Croatian and Slovak participants. The results underscore the need for medical curricula to incorporate AI education while accounting for sociocultural contexts that may influence acceptance and implementation.

Keywords: Patient- physician relationship, Trust, Medical AI, Artificial intelligence, Medical students, Medical ethics, Quantitative study

Introduction

In recent years, rapid technological progress—particularly in artificial intelligence (AI)—has brought considerable change to healthcare. Applications of AI in

medicine range from routine administrative functions such as scheduling and digitizing records to more complex tasks like drug dosage calculations [1]. Growing enthusiasm for AI has also influenced numerous clinical disciplines, including radiology [2, 3], oncology [4], neurology [5], and nephrology [6]. These developments have inspired studies that examine how medical students view AI and how their career choices may be shaped by it. Research findings point to shifting interest in certain specialties, evolving expectations about daily clinical work, and the emergence of both hopes and apprehensions [7–9].

Access this article online

<https://smerpub.com/>

Received: 06 November 2023; Accepted: 05 February 2024

Copyright CC BY-NC-SA 4.0

How to cite this article: Kajanova J, Badrov A. Medical Students' Perspectives on Trust in Medical AI: A Quantitative Comparative Study. *Asian J Ethics Health Med.* 2024;4(1):44-57. <https://doi.org/10.51847/36mpdZ9AZ8>

Medical students represent a key group for investigating the future of healthcare since their outlook on AI will shape its adoption. Although many report understanding what AI is [10, 11], most struggle to define it accurately when asked [12]. Literature consistently emphasizes that training on AI within medical programs is insufficient and that curricula need strengthening in this area [11–14]. Students widely expect AI to reshape healthcare yet simultaneously stress that current instruction is inadequate [15]. In Croatia, medical informatics is generally offered as a compulsory subject (during the 2nd or 5th year of study), though no standalone course on AI exists. Instead, elective subjects such as Robotics in Medicine and Digital Technologies in the Healthcare System and E-Health expose students to AI through applied learning. In Slovakia, there is likewise no dedicated AI course in medical curricula, but faculties conduct lectures and workshops. At the largest Slovak medical faculty in Bratislava, AI has been included in the first-year medical ethics course for the past four years. To evaluate how students are preparing for AI integration, instruments such as the Medical Artificial Intelligence Readiness Scale for Medical Students (MAIRS-MS) have been developed [16]. Some research outlines what students should ideally know about AI in medicine [17], while others highlight the importance of addressing AI ethics within medical education [18]. Students generally anticipate that AI will enrich the medical profession and regard it as a collaborative partner rather than a competitor [19], with many believing that AI education will enhance career prospects [20]. Nevertheless, despite progress, current AI applications remain at an early stage, requiring further validation as well as strategies to confront emerging social and ethical challenges [21]. Reported student concerns include reduced patient contact due to AI integration [14], potential job displacement, and heightened risks to patient safety, along with a decline in physicians' clinical skills [10, 22]. The adoption of AI is also expected to reshape the physician–patient relationship [23]. Successful implementation requires a patient-centered approach that fosters autonomy and informed decision-making [24]. Traditionally, this relationship evolved from a paternalistic model, in which doctors held exclusive control over medical knowledge, to one where patients—empowered by digital tools—participate as active co-decision makers [25, 26].

At the heart of this relationship lies trust, an essential determinant of both health outcomes and the quality of

patient–physician interaction [27]. Because trust defines the fiduciary nature of this bond, introducing AI as an additional actor may disrupt existing dynamics. This could generate entirely new forms of trust, such as between physician and AI, patient and AI, or within a triad involving patient, physician, and AI [28]. As healthcare grows increasingly reliant on technology, the nature of trust requires ongoing critical reflection and practical responses [29].

Among the ethical values relevant to medical AI, transparency is paramount. It is tied to the physician's informed consent when using algorithm-driven tools, despite limited understanding of their inner workings. Closely related is explainability, another pressing issue in AI design and deployment [30]. Both transparency and explainability influence perceptions of trust and trustworthiness. Trust itself implies confidence in the reliability of another agent or system, which may grow incrementally as dependability is demonstrated [31]. From a phenomenological standpoint, trust in AI represents an affective-cognitive condition involving a trustor—the individual placing trust, such as a physician—and a trustee, in this case the AI system [32]. Whether medical AI can genuinely be trusted, or merely relied upon, remains debated [33–35]. Against this backdrop, an important research question arises: do future physicians believe AI can be a trustworthy partner, or will its introduction prove disruptive?

Methods

Research objectives

The present study set out to examine medical students' perspectives on the integration of artificial intelligence (AI) into future healthcare, with particular attention to the notion of trust.

The investigation specifically sought to address:

1. How students understand and interpret trust within the physician–patient relationship.
2. Their views on the relevance of their own medical expertise when AI is incorporated into practice.
3. Their assessment of how prepared patients are to accept AI as part of routine healthcare delivery.

In addition, the study explored whether trust should be regarded as an essential foundation of the physician–patient relationship once AI becomes part of medical practice.

Table 1. Medical student's demographic characteristics ($N = 1701$)

Characteristic	Values		Country		
	<i>n</i>	%	Croatia	Slovakia	International students
Gender					
Female	1084	63.7%	495	391	198
Male	587	34.5%	258	194	135
N/A	30	1.8%	18	2	10
Year of study					
First year	631	37.1%	216	262	153
Second year	222	13.1%	149	72	1
Third year	184	10.8%	74	62	48
Fourth year	288	16.9%	80	137	71
Fifth year	283	16.6%	161	54	68
Sixth year	93	5.5%	91	0	2
School of Medicine			Total		
Catholic University of Croatia	76	4.5%	771	587	343
University of Zagreb	172	10.1%			
University of Rijeka	207	12.2%			
University of Split	137	8.1%			
Josip Juraj Strossmayer University of Osijek	179	10.5%	Age		
Comenius University Bratislava	540	31.7%	Mean	21,73	
Comenius University Jessenius School of Medicine	166	9.8%	Mode	20	
Pavol Jozef Safarik University of Medicine	224	13.2%	Range	18–36	

Participants and Data Collection

The study recruited medical students from Croatia and Slovakia—two Eastern European countries with comparable historical backgrounds, social conditions, and healthcare challenges. In addition, international students enrolled in Slovak faculties, representing diverse cultural contexts, were analyzed as a separate group. Data collection was carried out between May and November 2022 across five Croatian and three Slovak medical schools (**Table 1**).

A non-probabilistic convenience sampling strategy was applied. Eligible participants were those currently studying medicine at one of the selected institutions and present at the lectures where the survey was administered. Students from all academic years were included, following the approach adopted in earlier investigations on this topic [15, 20, 34, 36, 37, 39]. The primary method of administration was a paper-and-pencil survey. However, at one Slovak university, the

questionnaire was distributed online via LimeSurvey; students received the link after providing written informed consent. Researchers introduced the study at the beginning of lectures and invited students to participate voluntarily. Informed consent was obtained prior to participation. Of the 1715 students initially enrolled, 14 questionnaires were excluded due to incomplete responses, leaving a final analytic sample of 1701 students.

Questionnaire design

The instrument was developed by the research team, with the full English version provided in the supplementary files (Additional file 1). Its content was grounded in a previous qualitative investigation conducted in Croatia in 2021 [28], supplemented by a literature review of earlier surveys targeting medical students, patients, and physicians [23, 36–41]. Consistent with the earlier study [28], the anticipatory ethics framework [42] was applied, including the use of the same hypothetical scenario. In

order to maintain continuity and emphasize ethical, legal, and social dimensions, the team opted not to employ the MAIRS-MS instrument [16].

The final survey encompassed six broad domains:

1. Students' motivations for studying medicine and their self-reported familiarity with ethics/bioethics.
2. Perceptions of how AI may influence the physician–patient relationship.
3. Self-assessed understanding of AI concepts.
4. Willingness to integrate AI and digital technologies into future clinical practice.
5. Views on the utility of AI, along with perceptions of societal readiness for its adoption.
6. Demographic details.

The questionnaire primarily used multiple-choice items on a five-point Likert scale, where respondents indicated their level of agreement with given statements. At the start of the survey, participants were presented with a brief scenario (Additional file 2), describing an AI-based hospital assistant projected for the year 2030, designed according to the anticipatory ethics approach [42]. A pilot test with first-year students from the researchers' institution was conducted to ensure clarity, comprehensibility, and appropriate completion time. The instrument was available in Croatian, Slovak, and English, with the English version targeted at international students. For the subscale assessing perceptions of patient readiness, four items were retained for analysis, yielding strong internal consistency (Cronbach's $\alpha = 0.810$).

Data analysis

All analyses were performed using SPSS version 25 (IBM Corp., Armonk, NY, USA). Descriptive statistics were summarized as percentages. To explore group differences across demographic characteristics, independent t-tests and one-way ANOVAs were applied. Additionally, principal axis factoring was conducted on items concerning students' attitudes toward future use of AI technologies in clinical practice.

Results

Demographic characteristics

In total, 1701 valid responses were gathered across eight medical faculties (**Table 1**). Of these, 771 respondents (45.3%) were from Croatia, while 930 (54.7%) studied in Slovakia. The Slovak group included 587 domestic students (34.5%) and 343 international students (20.2%), the latter primarily from Western Europe and Scandinavia. The sample was predominantly female, with 1084 women (63.7%) compared to 587 men (34.5%); 30 students (1.8%) did not report gender. This gender imbalance reflects broader trends in medical education, where women generally outnumber men. For instance, the Eurostudent VI survey in Croatia (2019) indicated that 77.6% of students in medicine and social care were female, compared with 22.1% male [43]. Other Croatian studies have confirmed a similar gender distribution [44, 45], and comparable findings have also been reported in Slovakia [46, 47]. By year of study, first-year students were the largest subgroup, followed by those in their fourth and fifth years. Sixth-year students were least represented, largely due to the sampling design, since these students were often based in clinical and hospital settings rather than in lecture halls where data collection occurred.

Perceptions of AI and trust in the physician–patient relationship

When asked about their familiarity with the concept of AI, 38.6% of participants selected a neutral response (neither agreeing nor disagreeing) (**Figure 1**). Meanwhile, 38.2% agreed that they were acquainted with AI, whereas 23.2% indicated the opposite. A significant gender difference emerged: men reported higher levels of familiarity than women, $t(1162.09) = 7.928$, $p < .001$, with male students scoring an average of 3.45 ($SD = 1.014$) compared to 3.05 ($SD = 0.977$) among female students. Comparable patterns were observed for the statement, "I expect to actively use artificial intelligence in my medical practice." In this case, 39% of respondents were neutral, 44.8% anticipated incorporating AI into their future work, and 16.2% disagreed with the statement.




Figure 1. Student's attitudes toward AI

Students demonstrated overwhelmingly positive views on the role of trust in clinical interactions (**Figure 2**). For the statement “The patient and the physician should trust each other,” 80 percent expressed strong agreement, 16.8% agreed, 2.1% selected a neutral response, and only 1.1 percent disagreed. Similarly, when asked whether

“The patient should trust the physician upon consultation,” 96.2% of participants agreed, 3% were neutral, and just 0.8% disagreed. Regarding the statement “The physician is required to explain to the patient how a particular conclusion was reached,” 89.2% agreed, 8.9 percent were neutral, and 2.9% disagreed.




Figure 2. Student's attitudes toward different aspects of patient-physician relationship

Analysis of the statements revealed statistically significant differences across the three student groups (**Table 2**). Compared with their Croatian and Slovak peers, international students expressed lower levels of agreement with the idea that patients should place trust in

physicians during consultations or depend fully on the physician's judgment. In contrast, international students showed stronger agreement with the view that patients value physicians' time, a position less commonly endorsed by Croatian and Slovak students.

Table 2. Multiple comparisons

				Multiple comparisons		
				Tukey HSD		
Mean	SD	Sig.	Student group*student	Mean difference, SD	Sig.	

				group			
The patient is expected to place trust in the physician during consultation	Croatian students (CS)	4.73	0.483	$P < .001$	CS*IS	0.296, 0.037	$P < .001$
	Slovak students (SS)	4.73	0.550		SS*IS	0.298, 0.039	$P < .001$
	International students (IS)	4.43	0.770				
Patients are expected to depend completely on the physician's guidance	Croatian students (CS)	3.61	0.920	$P < .001$	CS*SS	(-)0.293, 0.051	$P < .001$
	Slovak students (SS)	3.62	0.879		CS*IS	(-)0.550, 0.061	$P < .001$
	International students (IS)	3.06	1.047		SS*IS	(-)0.257, 0.063	$P < .001$
The physician must explain to the patient the reasoning behind their conclusion	Croatian students (CS)	4.53	0.712	$P < .001$	CS*SS	(-)0.268, 0.043	$P < .001$
	Slovak students (SS)	4.26	0.860		CS*IS	0.167, 0.051	$P .003$
	International students (IS)	4.36	0.841				
Patients value and respect the time of their physician	Croatian students (CS)	2.60	0.978	$P < .001$	CS*SS	(-)0.194, 0.058	$P .002$
	Slovak students (SS)	2,79	1.164		CS*IS	(-)0.804, 0.068	$P < .001$
	International students (IS)	3,40	1.011		SS*IS	(-)0.610, 0.072	$P < .001$

* The mean difference is significant at the 0.05 level

Trust in the healthcare system

Students' perceptions of how much users trust the healthcare system in their country of study varied considerably (**Table 3**). Among Croatian students, 40.9% felt that the healthcare system is generally not trusted by users, while a higher proportion of Slovak students (56.9%) shared this view. In contrast, only 17.3% of international students perceived a lack of trust in the system.

To examine differences across the three groups, a one-way ANOVA was conducted, revealing a statistically

significant variation in perceived patient trust, Welch's $F(2, 106.211) = 901.153$, $p < .001$. Mean scores showed Slovak students reported the lowest perceived trust ($M = 2.51$, $SD = 0.737$), Croatian students slightly higher ($M = 2.75$, $SD = 0.847$), and international students the highest ($M = 3.28$, $SD = 0.798$). Of particular interest, international students believed that users place greater trust in the Slovak healthcare system than Slovak students themselves, with a mean difference of 0.77 (95% CI [0.64, 0.9]).

Table 3. Student perception of trust in the healthcare system among patients

How much do users trust the healthcare system in their country of study?							
	They do not trust the health care system at all	They do not trust the health care system	They neither trust nor distrust the healthcare system	They trust the health care system	They completely trust the health care system	Mean	SD
Croatian students	4.8%	36.1%	38.7%	19.8%	0.6%	2,75	0,847
Slovak	3.2%	53.7%	32.0%	10.9%	0.2%	2,51	0,737

students							
International students	1.5%	15.8%	37.4%	43.9%	1.5%	3,28	0,798

Patient readiness to Use AI

The concept of patient readiness was assessed based on students' perceptions of patients' trust in technology, adaptability, digital literacy, and medical knowledge—factors recognized as essential for effective adoption of AI. Scores on this construct ranged from 4 (indicating “strongly disagree” on all items) to 20 (“strongly agree” on all items). A statistically significant difference in perceived patient readiness was observed among Croatian, Slovak, and international students ($p < .001$). Croatian students rated patient readiness the lowest on average ($M = 8.40$, $SD = 2.814$), followed by Slovak students ($M = 8.79$, $SD = 2.689$), whereas international students were the most confident in patients' readiness for AI ($M = 9.62$, $SD = 2.829$).

Regarding the potential impact of digital technologies on the patient–physician relationship, 59.1% of students agreed that AI implementation could negatively affect this relationship ($M = 3.62$, $SD = 1.009$), with no significant difference by student group. However, when asked whether patients would trust physicians less as digital technologies became more prevalent, 51.3% of

students agreed, with significant differences among groups ($p < .001$). International students were least likely to agree ($M = 3.09$, $SD = 1.006$), while Slovak ($M = 3.50$, $SD = 1.030$) and Croatian students ($M = 3.51$, $SD = 1.006$) expressed stronger agreement.

Students were also asked about their confidence in explaining AI to patients if requested. Here, 53.6% believed they could provide an explanation. This measure showed significant variation between groups, Welch's $F(2, 856.821) = 12.294$, $p < .001$. International students reported the lowest confidence ($M = 3.09$, $SD = 1.215$), whereas Slovak ($M = 3.41$, $SD = 1.048$) and Croatian students ($M = 3.47$, $SD = 1.096$) indicated higher confidence.

In the study scenario (Annex I), AI was represented through a virtual assistant, Cronko. Students were asked to indicate how likely they would be to maintain their own diagnostic conclusion if it differed significantly from the AI's assessment (**Table 4**). Significant differences emerged among Slovak, Croatian, and international students. Notably, international students were less likely to adhere to their own conclusions and more inclined to defer to the AI's recommendation.

Table 4. Multiple comparisons - reaction to the difference in diagnosis

How would you respond if your diagnosis differed significantly from Cronko's suggestion?		Multiple comparisons					
		Tukey HSD					
		Mean	SD	Sig.	Student group* student group	Mean difference, SD	Sig.
I would maintain confidence in my original diagnosis.	Croatian students (CS)	3.50	0.929	$P < .001$	CS*IS	0.352, 0.062	$P < .001$
	Slovak students (SS)	3.59	0.940		SS*IS	0.448, 0.065	$P < .001$
	International students (IS)	3.14	1.036				
I would re-evaluate my diagnosis and seek additional confirmation.	Croatian students (CS)	4.36	0.835	$P < .001$	CS*SS	0.263, 0.051	$P < .001$
	Slovak students (SS)	4.09	0.977		CS*IS	0.371, 0.060	$P < .001$
	International students (IS)	3.99	1.012				
I would review my diagnosis and attempt	Croatian students (CS)	2.34	1.016	$P < .001$	CS*SS	0.304, 0.053	$P < .001$

to align it as closely as possible with Cronko's recommendation.	Slovak students (SS)	2.03	0.844		IS*SS	0.453, 0.066	$P < .001$
	International students (IS)	2.49	1.067				
I would discard my diagnosis and accept Cronko's conclusion.	Croatian students (CS)	1.45	0.788	$P < .001$	IS*CS	0.288, 0.053	$P < .001$
	Slovak students (SS)	1.28	0.726		IS*SS	0.356, 0.056	$P < .001$
	International students (IS)	1.74	0.996				

* The mean difference is significant at the 0.05 level

** Cronko = AI virtual assistant from the scenario presented in the survey

Students were also asked to indicate how patients ought to respond when a physician's diagnosis and an AI's assessment differ significantly (Table 5). Nearly half of the students (49.4%) suggested that patients should obtain a third, expert opinion. A slightly smaller proportion (42.1%) believed that patients should place

their trust in the physician, while 7.4% felt that patients should weigh both diagnoses and make their own decision. Only a very small minority recommended trusting the AI (0.7%) or consulting a second AI system for another opinion (0.4%).

Table 5. Crosstabulation of whom to trust and the country from which the students come

In the event that Cronko were to provide the patient with a very different diagnosis from the physician's assessment, who do you think the patient should trust:					
	The physician	Cronko-algorithm (AI)	They should consider both diagnoses and decide for themselves	They should seek a third (expert) opinion	They should seek a third opinion (from another artificial intelligence system)
Croatian students	45.1%	0.7%	9.9%	45.1%	0.1%
Slovak students	40.8%	0.3%	2.9%	55.5%	0.5%
International students	37.4%	1.5%	11.7%	48.8%	0.6%

The crosstabulation analysis indicated that a smaller proportion of international students believed that patients should trust the physician compared to their Croatian and Slovak peers. Pearson's Chi-square test confirmed a significant association between students' country of origin and their view on patient trust ($\chi^2 = 43.731$, $df = 8$, $p < .001$). The strength of this relationship, as measured by Cramer's V, was statistically significant but weak ($\phi = 0.114$, $p < .001$).

Discussion

To the authors' knowledge, this is the first study examining medical students' attitudes toward AI in healthcare from the perspective of Eastern European countries. Previous research has primarily focused on Western nations such as Germany [48–50], Switzerland

[37], the United Kingdom [39, 40], Canada [7, 10, 12], and various Asian countries [11, 13, 51–58]. Despite widespread anticipation that AI will become increasingly integrated into healthcare, only 44.8% of students expected to use AI in their future practice. Furthermore, 53.6% felt confident that they could explain AI technology to patients, while just 38.2% reported current familiarity with the concept of AI. These findings are consistent with a German study in which 64.3% of medical students reported feeling inadequately informed about AI in medicine [48]. Prior research has also highlighted a gap between students' perceived understanding of AI and their actual knowledge [9]. In the contemporary educational context, medical curricula should aim to equip students with the skills necessary to comprehend AI and communicate its applications effectively to patients [59].

Among Croatian and Slovak students, the dominant perception was that patients do not trust their healthcare system, a view consistent with broader population-level data. The European Values Study (EVS) found that only 43% of Croatian citizens trust their healthcare system [60]. Other studies indicate that approximately 25% of the population consider the system entirely ineffective, and a majority feel fundamental reforms are necessary, with the lowest trust observed among groups with lower educational attainment [61]. In Slovakia, overall satisfaction with healthcare recently reached 44%, and when asked about trust in conventional medicine, only 55% of Slovaks reported confidence in doctors and hospitals, below the European average. Key sources of dissatisfaction included difficulty securing appointments (57%) and negative personal or mediated experiences with care (51%) [62].

Most international students in the study come from Norway and other Scandinavian countries, where trust in healthcare is typically very high [63–65]. Consequently, these students are likely to carry this perception of high trust into their assessment of healthcare systems in countries other than their own.

In Croatia and Slovakia, where overall trust in the healthcare system is relatively low and students perceive that patients exhibit limited confidence in the system, students are more likely to believe that patients should place complete trust in physicians during consultations and that patients often fail to respect physicians' time. Effective implementation of AI in healthcare depends on cooperative interactions between patients and physicians, which in turn requires mutual trust and understanding [66]. Trust has been conceptualized as “an individual's calculated exposure to the risk of harm from the actions of an influential other” [31, 67], where harm refers to the potential physical or psychological damage arising from misjudged trust [31]. In the context of medical AI, this harm primarily affects patients and directly influences the physician-patient relationship [35, 68]. Consequently, trust impacts not only patient outcomes but also the reliability of AI, physicians' confidence in using it, its acceptability, and the likelihood of its future adoption.

International students' perspectives on AI and medical trust differ, likely because many come from Western or Northern European countries where shared decision-making is deeply embedded in medical practice. This model prevents extremes in the patient-physician dynamic: it avoids situations where the physician

unilaterally dictates decisions or where the patient assumes complete control. Modern healthcare emphasizes a collaborative partnership between physician and patient, with ethical communication and patient autonomy playing key roles. Students from Western Europe are thus more familiar with systems that prioritize these principles. In contrast, remnants of a paternalistic approach remain in some post-communist or transitional countries [69, 70]. Although patient involvement in decision-making is increasing, vestiges of the old hierarchical model persist.

In this study, Slovak and Croatian students were more likely than international students to perceive patients as less respectful of physicians' time and to believe that patients should fully trust physicians' judgments. These attitudes may be partially explained by the continued influence of paternalism in the patient-physician relationship in these countries. Transitional nations such as Croatia and Slovakia exhibit specific cultural patterns in medical communication, including limited information sharing and a paternalistic orientation toward patients [71]. Systematic studies on these issues are scarce in Central and South-Eastern Europe [71]. However, Croatian researchers, following Slovak studies [72], have examined patient rights with a focus on physician-patient communication and the informed consent process [71]. Findings revealed that while informed consent procedures in selected Croatian hospitals were officially based on shared decision-making, paternalistic dynamics persisted. Given the similar cultural and political contexts, a comparable situation is likely in Slovakia, although recent research is lacking.

Historical examples of enduring medical paternalism in Slovakia, such as the involuntary sterilization of Roma women—initiated under communist Czechoslovakia and continuing into the 2000s—have fueled public debate and contributed to ongoing distrust in the national healthcare system among Roma communities. This legacy has affected vaccine uptake and underscores the need for improved communication practices and informed consent [73, 74].

When discrepancies arise between a physician's judgment and an AI system, our findings indicate that over half of the medical students believe patients should either seek a third (expert) opinion (49.4%) or trust the physician (42.1%). These results align with a German study [48], in which 82.5% of participants stated that the physician's decision should take precedence. Notably,

international students were more likely than Croatian and Slovak students to defer to AI rather than their own judgment, despite being enrolled in the same program as their Slovak peers. These findings provide novel insights into ongoing discussions [33–35] about the extent to which future physicians may place trust in medical AI.

In situations involving conflicting diagnoses, Croatian and Slovak students tended to favor patient reliance on the physician's opinion. Nearly 90% of students agreed that physicians must explain to patients how they reached their conclusions. Yet, only 53.6% felt confident that they could adequately explain AI technology to a patient. This discrepancy may create challenges in healthcare, as patients may not fully understand or accept AI-derived diagnostic conclusions when they conflict with a physician's assessment. Ensuring that future physicians can effectively use AI, interpret results accurately, understand associated risks, and communicate them clearly to patients will be crucial [75].

Strengths and Limitations

To our knowledge, this is the first study examining medical students' attitudes toward AI and trust in healthcare in Eastern Europe, specifically in Croatia and Slovakia. The research highlights differences in perceptions regarding trust and the patient-physician relationship. The primary limitation is the non-probabilistic, convenience-based sample, which limits the generalizability of the results. Logistical and technical constraints necessitated this sampling approach. It is also important to note that data collection occurred in late 2022 during the ongoing COVID-19 pandemic, which may have influenced students' attitudes toward healthcare. Additionally, international students completed the survey in English, which was not their first language, potentially leading to misinterpretation or misunderstanding of certain questions.

Conclusions

This study offers valuable insight into the attitudes of medical students from Croatia, Slovakia, and international programs regarding the future role of AI in healthcare, particularly concerning trust. The findings contribute to the ongoing discourse on whether future physicians can place trust in medical AI. Students overwhelmingly agree that trust between physicians and patients is essential, yet many believe that integrating

digital technologies may negatively affect this relationship. Notably, international students' views differed from those of Croatian and Slovak students. Students from Croatia and Slovakia were more likely to anticipate reduced patient trust with the implementation of AI and expressed elements of a paternalistic approach. These students also reported higher confidence in their diagnostic accuracy and ability to explain AI processes compared to international students.

The study underscores the need to integrate AI-related education into medical curricula, with careful consideration of national and cultural factors that could hinder AI adoption if neglected. Enhancing AI explainability and fostering trust through targeted education will likely improve acceptance and strengthen the patient-physician relationship in the future.

Acknowledgments: None

Conflict of Interest: None

Financial Support: None

Ethics Statement: None

References

1. Amisha F, Malik P, Pathania M, Rathaur VK. Overview of artificial intelligence in medicine. *J Family Med Prim Care*. 2019;8(7):2328.
2. Reyes M, Meier R, Pereira S, Silva CA, Dahlweid FM, von Tengg-Koblighk H, et al. On the Interpretability of Artificial Intelligence in Radiology: Challenges and Opportunities. *Radiol Artif Intell*. 2020 May 27;2(3):e190043. doi: 10.1148/ryai.2020190043. PMID: 32510054; PMCID: PMC7259808.
3. Mehrizi MHR, Van Ooijen PMA, Homan M. Applications of artificial intelligence (AI) in diagnostic radiology: a technography study. *Eur Radiol*. 2020;31(4):1805–11.
4. Dlamini Z, Francies FZ, Hull R, Marima R. Artificial intelligence (AI) and big data in cancer and precision oncology. *Comput Struct Biotechnol J*. 2020;18:2300–11.
5. Kalani M, Anjankar A, Revolutionizing, Neurology. The role of Artificial intelligence in advancing diagnosis and treatment. *Curēus*. 2024.

6. Bajaj T, Koyner JL. Artificial intelligence in acute kidney injury prediction. *Adv Chronic Kidney Dis*. 2022;29(5):450–60.
7. Gong B, Nugent JP, Guest W, Parker W, Chang PJ, Khosa F, et al. Influence of Artificial Intelligence on Canadian Medical Students' Preference for Radiology Specialty: A National Survey Study. *Acad Radiol*. 2019 Apr;26(4):566-577. doi: 10.1016/j.acra.2018.10.007. Epub 2018 Nov 11. PMID: 30424998.
8. Capparos Galán G, Portero FS. Medical students' perceptions of the impact of artificial intelligence in radiology. *Radiología*. 2022;64(6):516–24.
9. Bin Dahmash A, Alabdulkareem M, Alfutais A, Kamel AM, Alkholaiwi F, Alshehri S et al. Artificial intelligence in radiology: does it impact medical students preference for radiology as their future career? *BJR|Open*. 2020;2(1):20200037.
10. Mehta N, Harish V, Bilimoria K, Morgado F, Ginsburg S, Law M, et al. Knowledge and attitudes on Artificial intelligence in Healthcare: a provincial survey study of medical students. *MedEdPublish*. 2021;10(1).
11. Al Hadithy ZA, Al Lawati A, Al-Zadjali R, Al Sinawi H. Knowledge, Attitudes, and Perceptions of Artificial Intelligence in Healthcare Among Medical Students at Sultan Qaboos University. *Cureus*. 2023;15(9):e44887. doi: 10.7759/cureus.44887. PMID: 37814766; PMCID: PMC10560391.
12. Teng M, Singla R, Yau O, Lamoureux D, Gupta A, Hu Z, et al. Health Care Students' perspectives on Artificial Intelligence: Countrywide Survey in Canada. *JMIR Med Educ*. 2022;8(1):e33390.
13. Abid S, Awan B, Ismail T, Sarwar N, Sarwar G, Tariq M. Artificial Intelligence: medical students attitude in District Peshawar Pakistan. *Pakistan J Public Health*. 2019;9(1):19–21.
14. Bisdas S, Topriceanu CC, Zakrzewska Z, Irimia AV, Shakallis L, Subhash J, et al. Artificial Intelligence in Medicine: A Multinational Multi-Center Survey on the Medical and Dental Students' Perception. *Front Public Health*. 2021 Dec 24;9:795284. doi: 10.3389/fpubh.2021.795284. PMID: 35004598; PMCID: PMC8739771.
15. Jebreen K, Radwan E, Kammoun-Rebai W, Alattar E, Radwan A, Safi W et al. Perceptions of undergraduate medical students on artificial intelligence in medicine: mixed-methods survey study from Palestine. *BMC Med Educ*. 2024;24(1).
16. Karaca O, Çalışkan S, Demir K. Medical artificial intelligence readiness scale for medical students (MAIRS-MS) – development, validity and reliability study. *BMC Med Educ*. 2021;21(1).
17. Park SH, Hyun K, Kim S, Park JH, Lim YS. What should medical students know about artificial intelligence in medicine? *J Educational Evaluation Health Professions*. 2019;16:18.
18. Katznelson G, Gerke S. The need for health AI ethics in medical school education. *Adv Health Sci Educ*. 2021;26(4):1447–58.
19. Bisdas S, Topriceanu CC, Zakrzewska Z, Irimia AV, Shakallis L, Subhash J et al. Artificial Intelligence in Medicine: a multinational Multi-center survey on the medical and dental students' perception. *Front Public Health*. 2021;9.
20. Tung AYZ, Dong LW. Malaysian medical students' attitudes and readiness toward AI (Artificial Intelligence): a cross-sectional study. *J Med Educ Curric Dev*. 2023;10.
21. Rajpurkar P, Chen E, Banerjee O, Topol EJ. AI in health and medicine. *Nat Med*. 2022;28(1):31–8.
22. Boillat T, Nawaz FA, Rivas H. Readiness to Embrace Artificial intelligence among medical doctors and students: questionnaire-based study. *JMIR Med Educ*. 2022;8(2):e34973.
23. Ongena Y, Haan M, Yakar D, Kwee TC. Patients' views on the implementation of artificial intelligence in radiology: development and validation of a standardized questionnaire. *Eur Radiol*. 2019;30(2):1033–40.
24. Quinn TP, Senadeera M, Jacobs S, Coghlan S, Le V. Trust and medical AI: the challenges we face and the expertise needed to overcome them. *J Am Med Inform Assoc*. 2020;28(4):890–4.
25. Gerber BS, Eiser AR. The patient-physician relationship in the internet age: future prospects and the research agenda. *JMIR J Med Internet Research/ Journal Med Internet Res*. 2001;3(2):e15.
26. Agarwal AK, Murinson BB. New dimensions in patient–physician interaction: values, autonomy, and medical information in the patient-centered clinical encounter. *Rambam Maimonides Med J*. 2012;3(3):e0017.
27. Chandra S, Mohammadnezhad M, Ward P. Trust and Communication in a doctor- patient relationship: a literature review. *J Health Commun*. 2018;03(03).
28. Čartolovni A, Malešević A, Poslon L. Critical analysis of the AI impact on the patient–physician

- relationship: a multi-stakeholder qualitative study. *Digit Health*. 2023;9.
29. Cado V. Trust as a factor for higher performance in healthcare: COVID 19, digitalization, and positive patient experiences. *IJQHC Commun*. 2022;2(2).
 30. Gerdes A. The role of explainability in AI-supported medical decision-making. *Discover Artif Intell*. 2024;4(1).
 31. De Fine Licht K, Brülde B. On defining Reliance and Trust: purposes, conditions of adequacy, and new definitions. *Philosophia*. 2021;49(5):1981–2001.
 32. Hancock PA, Kessler TT, Kaplan AD, Stowers K, Brill JC, Billings DR et al. How and why humans trust: a meta-analysis and elaborated model. *Front Psychol*. 2023;14.
 33. Hatherley J. Limits of trust in medical AI. *J Med Ethics*. 2020;46(7):478–81.
 34. Kerasidou C, Kerasidou A, Büscher M, Wilkinson S. Before and beyond trust: reliance in medical AI. *J Med Ethics*. 2021;48(11):852–6.
 35. Ferrario A, Loi M, Viganò E. Trust does not need to be human: it is possible to trust medical AI. *J Med Ethics*. 2020;47(6):437–8.
 36. Coppola F, Faggioni L, Regge D, Giovagnoni A, Golfieri R, Bibbolino C, et al. Artificial intelligence: radiologists' expectations and opinions gleaned from a nationwide online survey. *Radiol Med*. 2021 Jan;126(1):63–71. doi: 10.1007/s11547-020-01205-y. Epub 2020 Apr 29. PMID: 32350797.
 37. van Hoek J, Huber A, Leichtle A, Härmä K, Hilt D, von Tengg-Kobligh H, et al. A survey on the future of radiology among radiologists, medical students and surgeons: Students and surgeons tend to be more skeptical about artificial intelligence and radiologists may fear that other disciplines take over. *Eur J Radiol*. 2019 Dec;121:108742. doi: 10.1016/j.ejrad.2019.108742. Epub 2019 Nov 9. PMID: 31734640.
 38. Abdullah R, Fakieh B. Health care employees' perceptions of the use of artificial intelligence applications: survey study. *JMIR J Med Internet Res*. 2020;22(5):e17620.
 39. Blease C, Bernstein MH, Gaab J, Kaptchuk TJ, Kossowsky J, Mandl KD, et al. Computerization and the future of primary care: A survey of general practitioners in the UK. *PLoS One*. 2018 Dec 12;13(12):e0207418. doi: 10.1371/journal.pone.0207418. PMID: 30540791; PMCID: PMC6291067.
 40. Sit C, Srinivasan R, Amlani A, Muthuswamy K, Azam A, Monzon L, et al. Attitudes and perceptions of UK medical students towards artificial intelligence and radiology: a multicentre survey. *Insights Imaging*. 2020 Feb 5;11(1):14. doi: 10.1186/s13244-019-0830-7. PMID: 32025951; PMCID: PMC7002761.
 41. Oh S, Kim JH, Choi SK, Lee HJ, Hong J, Kwon SH. Physician confidence in Artificial Intelligence: an online mobile survey. *JMIR J Med Internet Res*. 2019;21(3):e12422.
 42. York E, Conley SN. Creative anticipatory ethical reasoning with scenario analysis and design fiction. *Sci Eng Ethics*. 2020;26(6):2985–3016.
 43. Rimac I, Bovan K, Ogresta J. Nacionalo izvješće istraživanja EUROSTUDENT VI Za Hrvatsku. Ministarstvo znanosti i obrazovanja; 2019.
 44. Dragun R, Veček NN, Marendić M, Pribisalić A, Đivić G, Cena H, et al. Have Lifestyle habits and Psychological Well-being changed among adolescents and medical students due to COVID-19 Lockdown in Croatia? *Nutrients*. 2020;13(1):97.
 45. Đogaš V, Jerončić A, Marušić M, Marušić A. Who would students ask for help in academic cheating? Cross-sectional study of medical students in Croatia. *BMC Med Educ*. 2014;14(1).
 46. Sovicova M, Zibolenova J, Svihrova V, Hudeckova H. Odds ratio estimation of Medical Students' attitudes towards COVID-19 vaccination. *Int J Environ Res Public Health/International J Environ Res Public Health*. 2021;18(13):6815.
 47. Faixová D, Jurinová Z, Faixová Z, Kyselovič J, Gažová A. Dietary changes during the examination period in medical students. *EAS J Pharm Pharmacol*. 2023;5(03):78–86.
 48. McLennan S, Meyer A, Schreyer K, Buyx A. German medical students' views regarding artificial intelligence in medicine: a cross-sectional survey. *PLOS Digit Health*. 2022;1(10):e0000114.
 49. Gillissen A, Kochanek T, Zupanic M, Ehlers JP. Medical students' perceptions towards digitization and Artificial Intelligence: a mixed-methods study. *Healthcare*. 2022;10(4):723.
 50. Moldt JA, Loda T, Mamlouk AM, Nieselt K, Fuhl W, Herrmann-Werner A. Chatbots for future docs: exploring medical students' attitudes and knowledge towards artificial intelligence and medical chatbots. *Med Educ Online*. 2023;28(1).

51. Syed W, Basil A, Al-Rawi M. Assessment of awareness, perceptions, and opinions towards Artificial Intelligence among Healthcare students in Riyadh, Saudi Arabia. *Medicina*. 2023;59(5):828.
52. Komasa N, Nakano T, Terasaki F, Kawata R. Attitude survey toward artificial intelligence in medicine among Japanese medical students. *Bull Osaka Med Pharm Univ*. 2021;67(1-2):9-16.
53. Jha N, Shankar PR, Al-Betar MA, Mukhia R, Hada K, Palaian S. Undergraduate medical students' and interns' knowledge and perception of artificial intelligence in medicine. *Adv Med Educ Pract*. 2022;13:927-37.
54. Swed S, Alibrahim H, Elkalagi NKH, Nasif MN, Rais MA, Nashwan AJ, et al. Knowledge, attitude, and practice of artificial intelligence among doctors and medical students in Syria: A cross-sectional online survey. *Front Artif Intell*. 2022 Sep 29;5:1011524. doi: 10.3389/frai.2022.1011524. PMID: 36248622; PMCID: PMC9558737.
55. Doumat G, Daher D, Ghanem NN, Khater B. Knowledge and attitudes of medical students in Lebanon toward artificial intelligence: a national survey study. *Front Artif Intell*. 2022;5.
56. Buabbas AJ, Miskin B, Alnaqi AA, Ayed AK, Shehab AA, Syed-Abdul S, et al. Investigating Students' Perceptions towards Artificial Intelligence in Medical Education. *Healthcare (Basel)*. 2023 May 1;11(9):1298. doi: 10.3390/healthcare11091298. PMID: 37174840; PMCID: PMC10178742.
57. Kansal R, Bawa A, Bansal A, Trehan S, Goyal K, Goyal N, Malhotra K. Differences in Knowledge and Perspectives on the Usage of Artificial Intelligence Among Doctors and Medical Students of a Developing Country: A Cross-Sectional Study. *Cureus*. 2022 Jan 19;14(1):e21434. doi: 10.7759/cureus.21434. PMID: 35223222; PMCID: PMC8860704.
58. AlZaabi A, AlMaskari S, AalAbdulsalam A. Are physicians and medical students ready for artificial intelligence applications in healthcare? *Digit Health*. 2023;9:205520762311521.
59. Pupic N, Ghaffari-Zadeh A, Hu R, Singla R, Darras K, Karwowska A, et al. An evidence-based approach to artificial intelligence education for medical students: A systematic review. *PLOS Digit Health*. 2023 Nov 27;2(11):e0000255. doi: 10.1371/journal.pdig.0000255. PMID: 38011214; PMCID: PMC10681314.
60. Baloban J, Črpić G, Ježovita J. Vrednote u Hrvatskoj Od 1999. Do 2018. Prema European values study. *Kršćanska sadašnjost*; 2019.
61. Popović S. Determinants of citizen's attitudes and satisfaction with the Croatian health care system. *Medicina*. 2017;53(1):85-100.
62. STADA Health Report. 2024. Satisfaction with Healthcare System continues to decline. 2024.
63. Price D, Bonsaksen T, Leung J, McClure-Thomas C, Ruffolo M, Lamph G, et al. Factors Associated with Trust in Public Authorities among adults in Norway, United Kingdom, United States, and Australia two years after the COVID-19 outbreak. *Int J Public Health*. 2023;68.
64. Skirbekk H, Magelssen M, Conradsen S. Trust in healthcare before and during the COVID-19 pandemic. *BMC Public Health*. 2023;23(1).
65. Baroudi M, Goicolea I, Hurtig AK, San-Sebastian M. Social factors associated with trust in the health system in northern Sweden: a cross-sectional study. *BMC Public Health*. 2022;22(1).
66. Jj C. Doctor-patient relationship: from medical paternalism to enhanced autonomy. *Singapore Med J*. 2002;43(3):152-5.
67. Hancock PA, Billings DR, Schaefer KE, Chen JYC, De Visser EJ, Parasuraman R. A Meta-analysis of factors affecting Trust in Human-Robot Interaction. *Hum Factors*. 2011;53(5):517-27.
68. Čartolovni A, Tomićić A, Mosler EL. Ethical, legal, and social considerations of AI-based medical decision-support tools: a scoping review. *Int J Med Informatics*. 2022;161:104738.
69. Vyshka G, Kruja J. Inapplicability of advance directives in a paternalistic setting: the case of a post-communist health system. *BMC Med Ethics*. 2011;12(1).
70. Murgic L, Hébert PC, Sovic S, Pavlekovic G. Paternalism and autonomy: views of patients and providers in a transitional (post-communist) country. *BMC Med Ethics*. 2015;16(1).
71. Vučemilo L, Ćurković M, Milošević M, Mustajbegović J, Borovečki A. Are physician-patient communication practices slowly changing in Croatia? – a cross-sectional questionnaire study. *Croatian Med J*. 2013;54(2):185-91.
72. Nemcekova M, Ziakova K, Mistuna D, Kudlicka J. Respecting patients' rights. *Bull Med Ethics*. 1998;140:13-8.

73. REPORT by Thomas Hammarberg, Commissioner for Human Rights of the Council of Europe. 2011. Online: <https://rm.coe.int/16806db7c5>
74. The Advisory Committee on the. Framework Convention for the Protection of National Minorities. Fifth Opinion on Slovak Republic. 2022.
75. McCoy LG, Nagaraj S, Morgado F, Harish V, Das S, Celi LA. What do medical students actually need to know about artificial intelligence? Npj Digit Med. 2020;3(1).